



Nipple, thread cylindrical brass

Name	Gwint 1	Gwint 2	SW	L1 (mm)	L2 (mm)
252 C	M5	M5	7	13	8
252 D	M5	G1/8	14	17	12
252 E	M5	G1/4	14	21	14,0
252 A	G1/8	G1/8	14	21	13
252 B	G1/8	G1/4	14	22	14,0
252 B/1	G1/8	G3/8	19	25	16,0
252.01	G1/4	G1/4	17	23	14,0
252.36	G1/4 lewy	G1/4 lewy	17	25	16,0
252.02	G1/4	G3/8	19	24	15,0
252.02/S	G1/4	G1/2	24	27,0	18,0
252.03	G3/8	G3/8	19	25	15,0
252.37	G3/8 lewy	G3/8 lewy	19	37,0	24,0
252.04	G3/8	G1/2	24	27,0	17,0
252.04/S	G3/8	G3/4	32	36,0	24,0
252.05	G1/2	G1/2	24	29	17,0
252.06	G1/2	G3/4	32	33,0	21,0
252.06/S	G1/2	G1/2	36	40,0	24,0
252.07	G3/4	G3/4	32	33,0	21,0
252.07/1	G3/4	G1	36	40,0	24,0
252.07/2	G1	G1	36	42,0	26,0
252.07/2-1	G1	G1 1/4	42	34,0	20,0
252.07/2-2	G1	G1 1/2	50	39,0	25,0
252.07/3	G1 1/4	G1 1/4	44	39,0	24,0
252.07/3-1	G1 1/4	G1 1/2	50	40,0	22,5
252.07/4	G1 1/2	G1 1/2	50	50,0	30,0
252.07/4-1	G1 1/2	G2	62	43,0	25,5
252.07/5	G2	G2	62	50,0	30,0

