



Polyurethane hose calibrated

Extremely flexible (even at low temperatures) and resistant to abrasion precisely calibrated hoses for most applications. They are characterized by a lack of "memory effect" so you do not undergo permanent deformation, even subjected to prolonged pressure. They are resistant to most oils, fats, hydrocarbons, oxygen and ozone.

Material:

Working temperature:

Characteristic:

Application and medium:

Polyurethane (PU)

-40 ° C to + 60 ° C

extremely flexible, no "memory effect", excellent resistance to abrasion, precise calibration

most applications, resistant to hydrocarbons, oils, fats, oxygen and ozone

| Name | Max.ciśnienie rob. przy 23°C | Średnica przewodu zew/wew | Kolor | Opakowanie [m] | Śr. przewodu |
|----------|------------------------------|---------------------------|-----------|----------------|--------------|
| 259.50N | 20 | 3x1,5 | Biały | 25 | |
| 259.50B | 20 | 3x1,5 | Niebieski | 25 | |
| 259.50S | 20 | 3x1,5 | Czarny | 25 | |
| 259.04N | 24 | 4x2 | Biały | 100 | |
| 259.04B | 24 | 4x2 | Niebieski | 100 | |
| 259.04G | 24 | 4x2 | Żółty | 25 | |
| 259.04R | 24 | 4x2 | Czerwony | 25 | |
| 259.04S | 24 | 4x2 | Czarny | 25 | |
| 259.04GR | 24 | 4x2 | Zielony | 25 | |
| 259.04SI | 24 | 4x2 | Srebrny | 25 | |
| 259.15N | 18 | 5x3 | Biały | 100 | |
| 259.15B | 18 | 5x3 | Niebieski | 100 | |
| 259.15G | 18 | 5x3 | Żółty | 25 | |
| 259.15R | 18 | 5x3 | Czerwony | 25 | |
| 259.15S | 18 | 5x3 | Czarny | 25 | |
| 259.15GR | 18 | 5x3 | Zielony | 25 | |
| 259.15SI | 15 | 5x3 | Srebrny | 25 | |
| 259.16N | 15 | 6x4 | Biały | 100 | |
| 259.16B | 15 | 6x4 | Niebieski | 100 | |
| 259.16G | 15 | 6x4 | Żółty | 25 | |
| 259.16R | 15 | 6x4 | Czerwony | 25 | |
| 259.16S | 15 | 6x4 | Czarny | 25 | |
| 259.16GR | 15 | 6x4 | Zielony | 25 | |
| 259.16SI | 15 | 6x4 | Srebrny | 25 | |

| Name | Max.ciśnienie rob. przy 23°C | Średnica przewodu zew/wew | Kolor | Opakowanie [m] | Śr. przewodu |
|----------|------------------------------|---------------------------|-----------|----------------|--------------|
| 259.17N | 10 | 8x6 | Biały | 100 | |
| 259.17B | 10 | 8x6 | Niebieski | 100 | |
| 259.17G | 10 | 8x6 | Żółty | 25 | |
| 259.17R | 10 | 8x6 | Czerwony | 25 | |
| 259.17S | 8x6 | 10 | Czarny | 25 | |
| 259.17GR | 10x6,5 | 10 | Zielony | 25 | |
| 259.17SI | 8x6 | 10 | Srebrny | 25 | |
| 259.18N | 10x8 | 8 | Biały | 100 | |
| 259.18B | 10x6,5 | 8 | Niebieski | 100 | |
| 259.18G | 10x8 | 8 | Żółty | 25 | |
| 259.18R | 10x8 | 8 | Czerwony | 25 | |
| 259.18S | 10x8 | 8 | Czarny | 25 | |
| 259.18SI | 10x8 | 8 | Srebrny | 25 | |
| 259.20N | 12x9 | 10 | Biały | 100 | |
| 259.20B | 12x9 | 10 | Niebieski | 100 | |
| 259.20G | 12x9 | 10 | Żółty | 25 | |
| 259.20R | 12x9 | 10 | Czerwony | 25 | |
| 259.20S | 12x9 | 10 | Czarny | 25 | |
| 259.20GR | 12x9 | 10 | Zielony | 25 | |
| 259.20SI | 10x6,5 | 10 | Biały | 100 | |
| 259.51N | 14x10 | 8 | Biały | 25 | |
| 259.51B | 14x10 | 8 | Niebieski | 25 | |
| 259.51S | 14x10 | 8 | Czarny | 25 | |
| 259.51SI | 14x10 | 8 | Srebrny | 25 | |
| 259.52N | 16x12 | 8 | Biały | 25 | |
| 259.52S | 16x12 | 8 | Czarny | 25 | |
| 259.52SI | 16x12 | 8 | Srebrny | 25 | |