



NW VR LS - simple connection for inch-metric-ring seal

Connection 1
Sealing form 1
Connection 2
Sealing form 2
Design
Construction
Standard

BSP external thread, cylindrical
 Shape E
 metric cylindrical outer thread
 24° inner cone
 Screw-in fitting
 straight
 DIN 2353
 ISO 8434-1

Included in scope of supply
Material

Socket with union nut and cutting ring
 steel

Name	Ciśnienie	G1	G2	Size	Budowa
VR NW 04 HL	315	1/8"	M 12x1,5	6	L
VR NW 04 HL 1/4	315	1/4"	M 12x1,5	6	L
VR NW 04 HL 3/8	315	3/8"	M 12x1,5	6	L
VR NW 04 HL 1/2	315	1/2"	M 12x1,5	6	L
VR NW 06 HL	315	1/4"	M 14x1,5	8	L
VR NW 06 HL 1/8	315	1/8"	M 14x1,5	8	L
VR NW 06 HL 3/8	315	3/8"	M 14x1,5	8	L
VR NW 06 HL 1/2	315	1/2"	M 14x1,5	8	L
VR NW 08 HL	315	1/4"	M 16x1,5	10	L
VR NW 08 HL 1/8	315	1/8"	M 16x1,5	10	L
VR NW 08 HL 3/8	315	3/8"	M 16x1,5	10	L
VR NW 08 HL 1/2	315	1/2"	M 16x1,5	10	L
VR NW 10 HL	315	3/8"	M 18x1,5	12	L
VR NW 10 HL 1/8	315	1/8"	M 18x1,5	12	L
VR NW 10 HL 1/4	315	1/4"	M 18x1,5	12	L
VR NW 10 HL 1/2	315	1/2"	M 18x1,5	12	L
VR NW 10 HL 3/4	315	3/4"	M 18x1,5	12	L
VR NW 13 HL	315	1/2"	M 22x1,5	15	L
VR NW 13 HL 1/4	315	1/4"	M 22x1,5	15	L
VR NW 13 HL 3/8	315	3/8"	M 22x1,5	15	L
VR NW 13 HL 3/4	315	3/4"	M 22x1,5	15	L
VR NW 16 HL	315	1/2"	M 26x1,5	18	L
VR NW 16 HL 3/8	315	3/8"	M 26x1,5	18	L
VR NW 16 HL 3/4	315	3/4"	M 26x1,5	18	L
VR NW 16 HL 1	315	1"	M 26x1,5	18	L

Name	Ciśnienie	G1	G2	Size	Budowa
VR NW 20 HL	160	3/4"	M 30x2	22	L
VR NW 20 HL 1/2	160	1/2"	M 30x2	22	L
VR NW 20 HL 1	160	1"	M 30x2	22	L
VR NW 25 HL	160	1"	M 36x2	22	L
VR NW 25 HL 1/2	160	1/2"	M 36x2	28	L
VR NW 25 HL 3/4	160	3/4"	M 36x2	28	L
VR NW 25 HL 1 1/4	160	1 1/4"	M 36x2	28	L
VR NW 32 HL	160	1 1/4"	M 45x2	35	L
VR NW 32 HL 3/4	160	3/4"	M 45x2	35	L
VR NW 32 HL 1	160	1"	M 45x2	35	L
VR NW 32 HL 1 1/2	160	1 1/2"	M 45x2	35	L
VR NW 40 HL	160	1 1/2"	M 52x2	42	L
VR NW 40 HL 1 1/4	160	1 1/4"	M 52x2	42	L
VR NW 03 HS	630	1/4"	M 14x1,5	6	S
VR NW 03 HS 1/8	630	1/8"	M 14x1,5	6	S
VR NW 03 HS 3/8	630	3/8"	M 14x1,5	6	S
VR NW 03 HS 1/2	630	1/2"	M 14x1,5	6	S
VR NW 04 HS	630	1/4"	M 16x1,5	8	S
VR NW 04 HS 3/8	630	3/8"	M 16x1,5	8	S
VR NW 04 HS 1/2	630	1/2"	M 16x1,5	8	S
VR NW 06 HS	630	3/8"	M 18x1,5	10	S
VR NW 06 HS 1/4	630	1/4"	M 18x1,5	10	S
VR NW 06 HS 1/2	630	1/2"	M 18x1,5	10	S
VR NW 08 HS	630	3/8"	M 20x1,5	12	S
VR NW 08 HS 1/4	630	1/4"	M 20x1,5	12	S
VR NW 08 HS 1/2	630	1/2"	M 20x1,5	12	S
VR NW 08 HS 3/4	630	3/4"	M 20x1,5	12	S
VR NW 10 HS	630	1/2"	M 22x1,5	14	S
VR NW 10 HS 3/8	630	3/8"	M 22x1,5	14	S
VR NW 10 HS 3/4	630	3/4"	M 22x1,5	14	S
VR NW 13 HS	400	1/2"	M 24x1,5	16	S
VR NW 13 HS 1/4	400	1/4"	M 24x1,5	16	S
VR NW 13 HS 3/8	400	3/8"	M 24x1,5	16	S
VR NW 13 HS 3/4	400	3/4"	M 24x1,5	16	S
VR NW 16 HS	400	3/4"	M 30x2	20	S
VR NW 16 HS 1/2	400	1/2"	M 30x2	20	S
VR NW 16 HS 1	400	1"	M 30x2	20	S
VR NW 20 HS	400	1"	M 36x2	25	S
VR NW 20 HS 1/2	400	1/2"	M 36x2	25	S
VR NW 20 HS 3/4	400	3/4"	M 36x2	25	S
VR NW 20 HS 1 1/4	400	1 1/4"	M 36x2	25	S
VR NW 25 HS	400	1 1/4"	M 42x2	30	S
VR NW 25 HS 3/4	400	3/4"	M 42x2	30	S
VR NW 25 HS 1	400	1"	M 42x2	30	S
VR NW 32 HS	315	1 1/2"	M 52x2	38	S
VR NW 32 HS 1	315	1"	M 52x2	38	S
VR NW 32 HS 1 1/4	315	1 1/4"	M 52x2	38	S

Name	Ciśnienie	G1	G2	Size	Budowa
------	-----------	----	----	------	--------

