

Gland packing TTS



TTS gland packing unilateral action. Made of polyurethane "TecnoLAN". TTS meets the highest requirements for seals U as high flexibility, low deformation, excellent wear resistance.

TTS-L version with double inner lip, ideal for applications where there is an increased friction, for example. Telescopic cylinders.

TTS-AI enhanced version of the anti-wyciskowym ring, retains the optimum sealing properties under severe conditions, with increased pressure and increased tendency to squeeze the seal and the aggressive action of mechanical parts of the actuator.

Type	Pressure [bar]	Speed [m / s]	Temperature [° C]	Stuff	Resistance Media	Equivalent seals
TTS	400	0.5	-40 110	Polyurethane (TecnoLAN)	> Hydraulic oils > Water > emulsions	KI-310, GPX MA36, SN36
TTS-L	400	0.5	-40 110	Polyurethane (TecnoLAN)	> Hydraulic oils > Water > emulsions	K38, RU2 .. TS MA35 TIL
TTS-L-AI	400	0.5	-40 110	Polyurethane (TecnoLAN)	> Hydraulic oils > Water > emulsions	MA37, TILA

Name	d (rys.)	D (rys.)	h (rys.)	H (rys.)
TTS-501	6	14	5,80	6,30
TTS-502/1	8	14	5,50	6,00
TTS-504	10	16	4,80	5,40
TTS-814	165,50	173	9	10
TTS-505	10	18	5,80	6,30
TTS-506	12	18	4,50	5
TTS-507	12	19	5,70	6,30
TTS-508	12	20	5,80	6,30
TTS-509	10	20	5,80	6,30
TTS-510/1	13	24	6	7
TTS-511	14	20	4,80	5,30
TTS-512	14	22	5,80	6,30
TTS-512/2	14	23	5,80	6,30
TTS-512/3	14,50	20	3,50	4
TTS-514	15,40	25,50	6,50	7,40

Name	d (rys.)	D (rys.)	h (rys.)	H (rys.)
TTS-515	16	22	4	4,50
TTS-515/1	16	23	5,60	6
TTS-515/2	16	23	5,80	6,30
TTS-516	16	24	5,80	6,30
TTS-516/1	16	24	5,80	6,30
TTS-517	16	24	6	7
TTS-518	18	25	5	5,70
TTS-519	18	26	5,80	6,30
TTS-520	18	26	6	7
TTS-521	18	26	6	7
TTS-522	18	26	8	9
TTS-523	18	28	5,80	6,30
TTS-524	18	28	5,80	6,30
TTS-526	19,50	27,50	8	9
TTS-814/1	167	176,30	8	8,70
TTS-526/1	20	25	2,20	3
TTS-527	20	25	3	3,70
TTS-814	165,50	173	9	10
TTS-528	20	25	3,70	4,50
TTS-529	20	26	5	5,50
TTS-531	20	26	5,20	6
TTS-532	20	27	5,80	6,30
TTS-533	20	28	5,80	6,30
TTS-534	20	28	5,80	6,30
TTS-535	20	28	6,30	7
TTS-813/2	165	173	11,50	12,50
TTS-536	20	28	7	8
TTS-537	20	30	7,20	8
TTS-813/1	165	180	11	12
TTS-538	20	30	7	8
TTS-539	20	30	8	9
TTS-540	20	30	10	11
TTS-812/1	165	174,30	8	8,70
TTS-542	22	28	4,50	5,50
TTS-543	22	30	5,80	6,30
TTS-544	22	30	6	7
TTS-545	22	30	6,30	7
TTS-546	22	30	7	8
TTS-546/1	22	30	7	8
TTS-546/2	22	30	8	9
TTS-547	22	32	7	8
TTS-548	22	32	8	9
TTS-549	24	30	4,50	5
TTS-811	160	185	18	19
TTS-549/1	24	32	5,80	6,30
TTS-550	24	34	5,70	6,50
TTS-817/2	222	234	12	13

Name	d (rys.)	D (rys.)	h (rys.)	H (rys.)
TTS-552	25	32	4	5
TTS-553	25	32	5,80	6,50
TTS-554	25	33	5,80	6,30
TTS-555	25	33	5,80	6,30
TTS-556	25	33	6,50	7,50
TTS-557	25	33	7	8
TTS-558	25	33	8	9
TTS-559	25	35	5	6
TTS-560	25	35	5,80	6,30
TTS-817/1	221,50	230,20	12	13
TTS-561	25	35	7	8
TTS-562	25	35	7	8
TTS-564	25	35	8	9
TTS-566/1	25	35	10	11
TTS-567	25	36	5	6
TTS-569/1	27	35	6	6,50
TTS-817	197	209	12	13
TTS-571	28	36	5,80	6,30
TTS-816/4	197	206,50	11,50	12,50
TTS-816/2	187	196,50	11,50	12,50
TTS-572	28	36	5,80	6,30
TTS-573	28	36	8	9
TTS-574	28	38	5,80	6,30
TTS-575	28	38	7	8
TTS-576	28	38	7	8
TTS-578	30	38	5,80	6,30
TTS-579	30	38	5,80	6,30
TTS-580	30	38	5,80	6,30
TTS-581	30	38	8	9
TTS-581/1	30	38	8	9
TTS-582	30	40	6,50	7,50
TTS-816/1	196	204,70	8	9
TTS-582/2	30	40	7	8
TTS-583	30	40	7	8
TTS-584	30	40	10	11
TTS-585	30	40	10	11
TTS-586	32	40	5,80	6,30
TTS-587	32	40	5,80	6,30
TTS-588	32	40	6,70	7,70
TTS-588/1	32	40	7	8
TTS-589	32	40	8	9
TTS-590	32	40	8	9
TTS-590/1	32	41,50	7,90	8,90
TTS-815/4	170	182,70	9	10
TTS-591	32	40	7	8
TTS-592	32	42	8	9
TTS-593	32	42	10	11

Name	d (rys.)	D (rys.)	h (rys.)	H (rys.)
TTS-595/1	32	45	10	11
TTS-596	35	43	5,80	6,30
TTS-597	35	43	6	7
TTS-598	35	43	6	7
TTS-599	35	43	8	9
TTS-600	35	45	7	8
TTS-815/3	187	196,30	8	8,70
TTS-601	35	45	10	11
TTS-603	35	50	10	11
TTS-604	36	44	5,80	6,30
TTS-605	36	44	6	7
TTS-815/2	175	185	12	13
TTS-606	36	44	8	9
TTS-607	36	46	7	8
TTS-607/1	36	46	7	8
TTS-609	36	46	10	11
TTS-611	38	45	6	7
TTS-612	38	50	8,50	9,50
TTS-815/1	174	182,70	8	9
TTS-613	40	48	5,80	6,30
TTS-614	40	48	5,80	6,30
TTS-615	40	48	8	9
TTS-616	40	48	8	9
TTS-617	40	48	8	9
TTS-618	40	49,50	9,50	10,50
TTS-619	40	50	6	7
TTS-620	40	50	7	8
TTS-621	40	50	7	8
TTS-622	40	50	10	11
TTS-623	40	50	10	11
TTS-624	40	50	10	11
TTS-815	170	180	10	11
TTS-628	40	55	10	11
TTS-631	42	50	6	7
TTS-632	42	52	8	9
TTS-633/1	45	52	12	13
TTS-634	45	53	5,80	6,30
TTS-635	45	53	6	7
TTS-635/1	45	53	7	8
TTS-636	45	53	8	9
TTS-637	45	53	8	9
TTS-639/1	45	54,30	8	6,50
TTS-639/2	45	55	5,70	8,70
TTS-641	45	55	7	8
TTS-642	45	55	10	11
TTS-643	45	55	10	11
TTS-644	45	55	10	11

Name	d (rys.)	D (rys.)	h (rys.)	H (rys.)
TTS-645	45	57,70	9,50	10,50
TTS-646	45	60	10	11
TTS-648	46	54	8	9
TTS-649	48	60	6	7
TTS-651	50	58	8	9
TTS-651/1	50	58	8	9
TTS-652	50	60	7	8
TTS-653	50	60	7	8
TTS-654	50	60	9	10
TTS-655	50	60	10	11
TTS-656	50	60	10	11
TTS-658	50	62	8	9
TTS-659	50	62	8,60	9,60
TTS-661	50	62,70	9,50	10,50
TTS-663	50	65	10	11
TTS-664	50	65	10	11
TTS-665	50	70	12	13
TTS-666	50	70	13,50	14,50
TTS-667/1	55	63	8	9
TTS-668	55	65	7,20	8
TTS-668/1	55	65	7,20	8
TTS-669	55	65	10	11
TTS-670	55	65	10	11
TTS-671	55	65	10	11
TTS-672	55	65	12	13
TTS-673	55	65	12	13
TTS-675	56	71	11,50	12,50
TTS-675/1	56	71	9,50	10,50
TTS-676/1	56	71	11,50	12,50
TTS-677	57,10	66,70	9,50	10,50
TTS-678	57,10	69,80	9,50	10,50
TTS-678/1	60	68	7	8
TTS-679	60	68	8	9
TTS-680	60	68	8	9
TTS-681	60	68	13	14
TTS-681/1	60	69,30	8	8,70
TTS-682	60	70	7,20	8
TTS-682/1	60	70	10	11
TTS-683	60	70	10	11
TTS-684	60	70	11,50	12,50
TTS-684/1	60	70	11,50	12,50
TTS-685	60	70	12	13
TTS-686	60	70	12	13
TTS-686/1	60	70	12	13
TTS-689	60	72	9	10
TTS-690	60	72	9	10
TTS-691	60	75	10	11

Name	d (rys.)	D (rys.)	h (rys.)	H (rys.)
TTS-692	60	75	12	13
TTS-692/1	60	75	12	13
TTS-693	60	80	12	13
TTS-694	61	69	8	9
TTS-695	61	69	8	9
TTS-695/1	61	69,70	8	9
TTS-696	63	71	8	9
TTS-697	63	75	8,60	9,50
TTS-698	63	75	10	11
TTS-699/1	63	78	10	11
TTS-700	63	78	11,50	12,50
TTS-701	63	78	12,50	13,50
TTS-704	63,50	76,20	9,50	10,50
TTS-704/2	65	75	7	8
TTS-704/3	65	73	8	9
TTS-705	65	75	12	13
TTS-706	65	75	12	13
TTS-707	65	75	12,50	13,50
TTS-708	65	77,70	9,50	10,50
TTS-710	65	80	11,50	12,50
TTS-713	68	76	8	9
TTS-714	68	76	8	9
TTS-714/1	69	78,30	8	8,70
TTS-715	69,80	82,50	9,50	10,50
TTS-715/1	70	78	8	9
TTS-715/2	70	78	8	9
TTS-716	70	80	7	8
TTS-716/1	70	80	7	8
TTS-717	70	80	10	11
TTS-718	70	80	12	13
TTS-719	70	80	12	13
TTS-720	70	82	9	10
TTS-721	70	85	11,50	12,50
TTS-722	70	85	12	13
TTS-724	70	90	13,50	14,50
TTS-726	73	82,40	7	8
TTS-726/2	75	83	7	8
TTS-727	75	83	8	9
TTS-728	75	85	7,20	8
TTS-729	75	85	7	8
TTS-729/1	75	85	7	8
TTS-730	75	85	12	13
TTS-731	75	85	12	13
TTS-732/1	75	88	13	14
TTS-733	75	90	10,50	11,50
TTS-734	75	90	12	13
TTS-736	76	84	8	9

Name	d (rys.)	D (rys.)	h (rys.)	H (rys.)
TTS-737	76	84	8	9
TTS-737/1	76	85,30	8	8,70
TTS-738	76,20	88,90	9,50	10,50
TTS-739	76,20	91,20	12	13
TTS-740	78	86	13	14
TTS-741/1	79	87,70	8	9
TTS-742	79,40	88,90	9,50	10,50
TTS-742/1	80	88	8	9
TTS-743/2	80	89,50	11,50	12,50
TTS-744	80	90	7,20	8
TTS-745	80	90	12	13
TTS-746	80	90	12	13
TTS-747	80	90	14	15
TTS-748	80	92	9	9,60
TTS-748/1	80	93	13	14
TTS-749	80	95	11	12
TTS-750	80	95	11,50	12,50
TTS-751	80	95	11,50	12,50
TTS-752	80	96	9,50	10,50
TTS-754	80	100	11,50	12,50
TTS-755	80	100	13,50	14,50
TTS-755/1	80	100	13,50	14,50
TTS-756	82,50	97,50	12	13
TTS-756/1	83	98	12	13
TTS-757	85	95	7	8
TTS-757/2	85	95	7	8
TTS-757/1	85	95	12	13
TTS-758	85	97	8,50	9,50
TTS-759	85	105	12	13
TTS-760/1	85,50	97,50	12	13
TTS-762	86	101	12	13
TTS-763	88	96	8	9
TTS-764	88	96	8	9
TTS-764/1	88	97,30	8	8,70
TTS-765	88,90	101,60	9,50	10,50
TTS-766/2	90	98	8	9
TTS-766/4	90	98	7	8
TTS-767	90	102	9	10
TTS-767/1	90	100	14	15
TTS-768	90	105	8,50	9,50
TTS-769	90	105	11,50	12,50
TTS-769/1	90	105	13	14
TTS-770	90	105	12	13
TTS-771	90	110	11,50	12,50
TTS-772	90	110	12	13
TTS-773	90	110	14	15
TTS-774	91	99	8	9

Name	d (rys.)	D (rys.)	h (rys.)	H (rys.)
TTS-775	91	99	8	9
TTS-810/5	160	180	15	16
TTS-775/1	92	101,30	8	8,70
TTS-776	95	103	11,50	12,50
TTS-778	95	115	13,50	14,50
TTS-779	97	105	13	14
TTS-810/8	154,50	164	11,50	12,50
TTS-779/1	98	106,70	8	9
TTS-779/2	98	107,50	11,50	12,50
TTS-780	100	110	12,50	13,50
TTS-780/1	100	112	14	15
TTS-781	100	113	12,50	13,50
TTS-782	100	115	12	13
TTS-782/1	100	120	11,50	12,50
TTS-782/2	105	113	7	8
TTS-783	100	120	13,50	14,50
TTS-783/2	105	113	8	9
TTS-783/4	105	120	11	12
TTS-784	105	125	12	13
TTS-785	107	115	8	9
TTS-786	107	115	8	9
TTS-786/1	107	116,30	8	8,70
TTS-787/1	108	117,30	8	8,70
TTS-810/7	152,40	177,80	14	15
TTS-788	110	120	13,50	14,50
TTS-789	110	120	11,50	12,50
TTS-790	110	125	11,30	12
TTS-791	110	130	12	13
TTS-793	115	123	11,50	12,50
TTS-793/1	115	130	11	12
TTS-793/2	115	130	15	16
TTS-794/1	116	124,70	8	9
TTS-794/2	116	125,50	11,50	12,50
TTS-795	118	126	13	14
TTS-795/2	120	128	8	9
TTS-795/3	120	128	7	8
TTS-797	120	140	11,50	12,50
TTS-798	126	134	8	9
TTS-799	126	134	8	9
TTS-799/1	126	135,30	8	8,70
TTS-799/2	127	152,40	14	15
TTS-799/3	127	135	8	9
TTS-800/1	130	140	7	8
TTS-800/2	130	145	11	12
TTS-802	130	155	15	16
TTS-802/1	135	143,70	8	9
TTS-802/2	135	143	11,50	12,50

Name	d (rys.)	D (rys.)	h (rys.)	H (rys.)
TTS-802/4	135	150	11	12
TTS-802/3	135	144,50	11,50	12,50
TTS-803/1	140	155	11	12
TTS-803/2	140	148	7	8
TTS-805	140	160	14	15
TTS-807	143	151	13	14
TTS-808	145	153	8	9
TTS-809	145	153	8	9
TTS-809/1	145	154,30	8	8,70
TTS-809/2	145	157,70	9	10
TTS-809/3	145	160	15	16
TTS-809/4	146	154	8	9
TTS-810/2	154	162,70	8	9
TTS-810/1	150	170	13,50	14,50
TTS-810/3	155	163	11,50	12,50