

## GHK scraper seal



**GHK** is a primary scraper dirt, suitable for both hydraulic equipment and pneumatic. Made of sturdy polyurethane Tecnolan. The main feature of the scraper is to prevent dust, liquids or other contaminants from entering through the stem to the internal sealing system, which could damage the cylinder.

Type	Pressure [bar]	Speed [m / s]	Temperature [° C]	Stuff	Resistance Media	Equivalent seals
GHK	-	-	-40 110	Polyurethane Tecnolan	mud, dust, oil, water, emulsions	K06, Z, AUASOB, CIS Economic Sciences, PW36, A42, AE42, MWM-P PWB

Name	d (rys.)	D (rys.)	H (rys.)	M (rys.)	Wymiar calowy	H2
GHK-300	12	18,60	3,50	15	-	-
GHK-301/1	14	20,60	3,80	17	-	-
GHK-302	15	21,60	3,80	18	-	-
GHK-302/1	16	22,60	3,80	19	-	-
GHK-302/2	16	22,50	2,70	19	-	-
GHK-304	18	24,60	3,80	21	-	-
GHK-305/1	20	26,60	3,40	23	-	-
GHK-306	20	28,60	5,30	23	-	-
GHK-307	22	30,60	5,30	25	-	-
GHK-307/1	24	32,60	5,30	27	-	-
GHK-308	25	33,60	5,30	28	-	-
GHK-309	26	34,60	5,30	29	-	-
GHK-310	28	36,60	5,30	31	-	-
GHK-310/1	30	36	4,20	32	-	-
GHK-311	30	38,60	5,30	33	-	-
GHK-312	32	40,60	5,30	35	-	-
GHK-313	35	43,60	5,30	38	-	-
GHK-314	36	44,60	5,30	39	-	-
GHK-315	38	46,60	5,30	41	-	-
GHK-316	40	48,60	5,30	43	-	-
GHK-317	42	50,60	5,30	45	-	-
GHK-318	45	53,60	5,30	48	-	-
GHK-319	45	55,60	5,30	48	-	-

Name	d (rys.)	D (rys.)	H (rys.)	M (rys.)	Wymiar calowy	H2
GHK-320	46	54,60	5,30	49	-	-
GHK-320/1	47	55	5,30	50	-	-
GHK-321	48	56,60	5,30	51	-	-
GHK-322	50	58,60	5,30	53	-	-
GHK-323	50	60,60	5,30	54	-	-
GHK-324	53	61,60	5,30	56	-	-
GHK-325	55	63,60	5,30	58	-	-
GHK-326	55	65,60	5,30	59	-	-
GHK-327	56	64,60	5,30	59	-	-
GHK-327/1	56	66,60	5,30	60	-	-
GHK-328	60	68,60	5,30	63	-	-
GHK-329	60	70,60	5,30	63	-	-
GHK-329/1	61	69,60	5,30	64	-	-
GHK-330	63	71,60	5,30	66	-	-
GHK-331	63	73,60	5,30	66	-	-
GHK-332	65	73,60	5,30	68	-	-
GHK-333	65	75,60	5,30	69	-	-
GHK-334	70	78,60	5,30	73	-	-
GHK-335	70	80,60	5,30	72	-	-
GHK-336	70	82,60	7,10	76	-	-
GHK-337	75	83,60	5,30	78	-	-
GHK-338	75	87,20	7,10	81	-	-
GHK-338/1	76	84,60	5,30	79	-	-
GHK-338/2	78	86,60	5,30	81	-	-
GHK-339	80	88,60	5,30	83	-	-
GHK-339/1	80	90,60	6,10	85	-	-
GHK-340	80	92,20	7,10	86	-	-
GHK-340/1	85	93,60	5,30	88	-	-
GHK-341	85	97,20	7,10	91	-	-
GHK-341/1	90	98,60	5,30	91	-	-
GHK-341/2	88	96,60	5,30	93	-	-
GHK-342	90	102,20	7,10	96	-	-
GHK-342/1	91	99,60	5,30	94	-	-
GHK-343	95	107,20	7,10	101	-	-
GHK-343/1	97	105,60	5,30	100	-	-
GHK-344	100	112,20	7,10	106	-	-
GHK-344/1	100	115,20	9,30	108	-	-
GHK-344/4	105	113,60	5,30	108	-	-
GHK-345	105	117,20	7,10	111	-	-
GHK-345/2	107	115,60	5,30	110	-	-
GHK-346	110	122,20	7,10	116	-	-
GHK-347	115	127,20	7,10	121	-	-
GHK-347/1	120	128,60	5,30	123	-	-
GHK-347/2	118	126,60	5,30	121	-	-
GHK-348	120	132,20	7,10	126	-	-
GHK-349	125	137,20	7,10	131	-	-
GHK-350	125	140,20	10,10	132,60	-	-

Name	d (rys.)	D (rys.)	H (rys.)	M (rys.)	Wymiar calowy	H2
GHK-350/1	126	134,60	5,30	129	-	-
GHK-351	130	142,20	7,10	136	-	-
GHK-352	135	147,20	7,10	141	-	-
GHK-353	140	152,20	7,10	146	-	-
GHK-354	140	155,20	10,10	147,60	-	-
GHK-354/1	143	151,60	5,30	146	-	-
GHK-355	145	157,20	7,10	151	-	-
GHK-356	150	162,20	7,10	156	-	-
GHK-357	150	165,20	10,10	157,60	-	-
GHK-357/1	155	167,20	7,10	161	-	-
GHK-357/2	155	169,20	7,10	-	-	-
GHK-358	160	175,20	10,10	168	-	-
GHK-358/1	165	177,20	7,10	170	-	-
GHK-358/2	170	185,20	10,10	178	-	-
GHK-358/3	180	195,20	10,10	188	-	-
GHK-358/4	171	179,60	5,30	174	-	-
GHK-358/7	175	187,20	7,10	183	-	-
GHK-358/8	170	180,60	5,30	175	-	-
GHK-359	180	200,20	10,20	190	-	-
GHK-359/1	190	210	10,20	200	-	-
GHK-359/2	196	210	7,10	202,50	-	-
GHK-359/3	197	209,20	7,10	203	-	-
GHK-360	200	220,20	10,20	210	-	-
GHKN-308	19,05	25,65	2,50	-	3/4"	4,30
GHKN-310	28,57	38,10	4,75	-	1.1/8"	7
GHKN-311	31,75	41,27	4,75	-	1.1/4"	7
GHKN-315	38,10	47,62	4,75	-	1.1/2"	7
GHKN-318	44,45	53,97	4,75	-	1.3/4"	7
GHKN-321	50,80	63,50	6,35	-	2"	9,50
GHKN-331	63,50	76,20	6,35	-	2.1/2"	9,50
GHKN-336	69,85	82,55	6,35	-	2.3/4"	9,50
GHKN-338	76,20	88,90	6,35	-	3"	9,50
GHKN-341	88,90	101,60	6,35	-	3.1/2"	9,50